Printing date 12.08.2014 Revision: 12.08.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Protack, ProtackHV, ProtackW, ProtackHVW, SLS, Lagit
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Sealant
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Ductmate Industries, Inc.

210 5th St.

Charleroi, PA 15022 Phone: 800-990-8459



ChemTel Inc.

(800)255-3924, +1 (813)248-0585




SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Skin Sens. 1 H317 May cause an allergic skin reaction.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



R43: May cause sensitisation by skin contact.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



(Contd. on page 2)

Printing date 12.08.2014 Revision: 12.08.2014

Trade name: Protack, ProtackHV, ProtackW, ProtackHVW, SLS, Lagit

(Contd. of page 1)

· Signal word Warning

· Hazard-determining components of labelling:

2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol

1.2-benzisothiazol-3(2H)-one

· Hazard statements

H317 May cause an allergic skin reaction.

· Precautionary statements

Wear protective gloves / eye protection.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of water.

P501 Dispose of contents/container in accordance with local/regional/national/international

- Hazard description:
- · WHMIS-symbols:

D2B - Toxic material causing other toxic effects



NFPA ratings (scale 0 - 4)



Health = 2Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



*2 Health = *2 1 Fire = 1

· HMIS Long Term Health Hazard Substances		
13463-67-7	titanium dioxide	
68412-54-4	Nonylphenoxy poly (ethyleneoxy 9)ethanol, branched	
14808-60-7	quartz	

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)

Printing date 12.08.2014 Revision: 12.08.2014

Trade name: Protack, ProtackHV, ProtackW, ProtackHVW, SLS, Lagit

CAS: 14807-96-6 EINECS: 238-877-9	Talc substance with a Community workplace exposure limit	≤ 13
CAS: 25212-88-8	Methacrylic acid copolymer dispersion Xn R20 R53 ◆ Acute Tox. 4, H332 Aquatic Chronic 4, H413	≤ 2 ,
CAS: 107-21-1 EINECS: 203-473-3 Index number: 603-027-00-	ethanediol ★ Xn R22 ↑ Acute Tox. 4, H302	≤ 2,
CAS: 13463-67-7 EINECS: 236-675-5	titanium dioxide substance with a Community workplace exposure limit	≤ 2
CAS: 68412-54-4 NLP: 500-209-1	Nonylphenoxy poly (ethyleneoxy 9)ethanol, branched Xn R62; Xi R36/38 R52/53 Repr. 2, H361 Skin Irrit. 2, H315; Eye Irrit. 2, H319 Aquatic Chronic 3, H412	≤ 2
CAS: 102-71-6 EINECS: 203-049-8	2,2',2"-nitrilotriethanol substance with a Community workplace exposure limit	≤ 1
CAS: 4719-04-4 EINECS: 225-208-0 Index number: 613-114-00-	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol T R23-48/23; Xn R22; Xi R43 Acute Tox. 4, H302; Skin Sens. 1, H317	≤ 0 ,
CAS: 111-42-2 EINECS: 203-868-0 Index number: 603-071-00-	2,2'-iminodiethanol Xn R22-48/22; X Xi R38-41 STOT RE 2, H373 Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Irrit. 2, H315	≤ 0 ,

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Unlikely route of exposure.

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

(Contd. on page 4)

Printing date 12.08.2014 Revision: 12.08.2014

Trade name: Protack, ProtackHV, ProtackW, ProtackHVW, SLS, Lagit

(Contd. of page 3)

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions

Gastric or intestinal disorders.

- · Hazards May be harmful if inhaled.
- · 4.3 Indication of any immediate medical attention and special treatment needed

Treat skin and mucous membrane with antihistamine and corticoid preparations.

Medical supervision for at least 48 hours.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information No further relevant information available.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Product forms slippery surface when combined with water.

- 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Pick up mechanically.

Clean the affected area carefully; suitable cleaners are:

Warm water and cleansing agent

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 5)

Printing date 12.08.2014 Revision: 12.08.2014

Trade name: Protack, ProtackHV, ProtackW, ProtackHVW, SLS, Lagit

(Contd. of page 4)

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Use only in well ventilated areas.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility:

Do not store together with oxidizing and acidic materials.

Store away from foodstuffs.

Further information about storage conditions:

Keep container tightly sealed.

Protect from frost.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

on control parameters				
· Ingredients with limit values that require monitoring at the workplace:				
107-21-1 etha	anediol			
IOELV (EU)	Short-term value: 104 mg/m³, 40 ppm Long-term value: 52 mg/m³, 20 ppm Skin			
TLV (USA)	Long-term value: NIC-10* mg/m³ Ceiling limit: (100) mg/m³ (H);*as inhalable fraction and vapor			
EL (Canada)	Short-term value: 20** mg/m³ Long-term value: 10** mg/m³ Ceiling limit: 100* mg/m³, 50*** ppm *Aerosol; **Particulate; ***Vapour			
EV (Canada)	Ceiling limit: 100 mg/m³			
102-71-6 2,2'	,2"-nitrilotriethanol			
TLV (USA)	Long-term value: 5 mg/m³			
EL (Canada)	Long-term value: 5 mg/m³			
EV (Canada)	Long-term value: 3,1 mg/m³, 0,5 ppm			
13463-67-7 titanium dioxide				
PEL (USA)	Long-term value: 15* mg/m³ *total dust			
REL (USA)	See Pocket Guide App. A			
	(Contd. on page 6)			

Printing date 12.08.2014 Revision: 12.08.2014

Trade name: Protack, ProtackHV, ProtackW, ProtackHVW, SLS, Lagit

	(Contd. of page 5)
TLV (USA)	Long-term value: 10 mg/m³
	withdrawn from NIC
EL (Canada)	Long-term value: 10* 3** mg/m³
l l	*total dust;**respirable fraction; IARC 2B
EV (Canada)	Long-term value: 10 mg/m³
	total dust
14807-96-6 T	alc
PEL (USA)	Long-term value: 20 mppcf ppm
' '	(containing <1% Quartz)
REL (USA)	Long-term value: 2* mg/m³
	*respirable dust
TLV (USA)	Long-term value: 2* mg/m³
	*as respirable fraction; E
EL (Canada)	Long-term value: 2 mg/m³
	respirable
FV (Canada)	Long-term value: 2* mg/m³, 2 f/cc ppm
	*respirable
111-42-2 2,2'	-iminodiethanol
REL (USA)	Long-term value: 15 mg/m³, 3 ppm
TLV (USA)	Long-term value: 1* mg/m³, 0,2* ppm
' '	Skin; *inhalable fraction and vapor
EL (Canada)	Long-term value: 2 mg/m³
	Skin, IARC 2B
EV (Canada)	Long-term value: 2 mg/m³
` ` `	rther relevant information available

- · **DNELs** No further relevant information available.
- · PNECs No further relevant information available.
- · **Additional information:** The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Do not inhale dust / smoke / mist.

Avoid contact with the eyes and skin.

Respiratory protection:

Not required under normal conditions of use.

For spills, respiratory protection may be advisable.

Protection of hands:



(Contd. on page 7)

Printing date 12.08.2014 Revision: 12.08.2014

Trade name: Protack, ProtackHV, ProtackW, ProtackHVW, SLS, Lagit

(Contd. of page 6)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No further relevant information available.

Risk management measures

See Section 7 for additional information. No further relevant information available.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid Colour: Grey • Odour: Mild

· Odour threshold: Not determined.

• pH-value at 20 °C: 8.0-9.5

· Change in condition

Melting point/Melting range:
Boiling point/Boiling range:
Undetermined.

>212 °F / >100 °C

Flammability (solid, gaseous):

Not applicable.

Auto/Self-ignition temperature: Not determined.
 Decomposition temperature: Not determined.

· **Self-igniting:** Product is not self-igniting.

(Contd. on page 8)

Printing date 12.08.2014 Revision: 12.08.2014

Trade name: Protack, ProtackHV, ProtackW, ProtackHVW, SLS, Lagit

(Contd. of page 7)

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower:
Upper:
Not determined.
Not determined.

Vapour pressure:
Not determined.

Density:
Relative density
Vapour density
Vapour density
Evaporation rate
Not determined.
Not determined.

· Solubility in / Miscibility with

water: Fully miscible.

• Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

• 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

Reacts with strong acids.

Reacts with strong oxidizing agents.

Toxic fumes may be released if heated above the decomposition point.

- 10.4 Conditions to avoid Store away from oxidizing agents.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Toxic metal oxide smoke

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Slight irritant effect on skin and mucous membranes.
- · on the eye: Slight irritant effect on eyes.
- · Sensitization: Sensitization possible through skin contact.

(Contd. on page 9)

Printing date 12.08.2014 Revision: 12.08.2014

Trade name: Protack, ProtackHV, ProtackW, ProtackHVW, SLS, Lagit

(Contd. of page 8)

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Toxic and/or corrosive effects may be delayed up to 24 hours.

- · Sensitisation: Sensitization possible by skin contact.
- Repeated dose toxicity: Repeated exposures may result in skin and/or respiratory sensitivity.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: The product contains materials that are harmful to the environment.
- **12.2 Persistence and degradability** The product is partially biodegradable. Significant residuals remain.
- **12.3 Bioaccumulative potential** No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark:

Due to mechanical actions of the product (e.g. agglutinations) damages may occur.

The product is oxygen-consuming. The declared action may be partly caused by lack of oxygen.

- Additional ecological information:
- · General notes:

This statement was deduced from products with a similar structure or composition.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- · Uncleaned packaging:
- · **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 10)

Printing date 12.08.2014 Revision: 12.08.2014

Trade name: Protack, ProtackHV, ProtackW, ProtackHVW, SLS, Lagit

(Contd. of page 9)

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number

· DOT, ADR, ADN, IMDG, IATA Not Regulated

· 14.2 UN proper shipping name

· DOT, ADR, ADN, IMDG, IATA Not Regulated

· 14.3 Transport hazard class(es)

· DOT, ADR, ADN, IMDG, IATA

· Class Not Regulated

· 14.4 Packing group

· DOT, ADR, IMDG, IATA Not Regulated

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Not applicable.

· 14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

UN "Model Regulation":

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

107-21-1 ethanediol

TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65 (California):
- · Chemicals known to cause cancer:

Reference to Crystalline Silica and/or Quartz is based on unbound respirable particles and is not generally applicable to product as supplied.

Reference to Titanium Dioxide is based on unbound respirable particles and is not generally applicable to product as supplied.

Reference to talc is based on unbound respirable particles and is not generally applicable to product as supplied.

14807-96-6	Talc (Mg3H2(SiO3)4)
13463-67-7	titanium dioxide
14808-60-7	quartz

(Contd. on page 11)

Printing date 12.08.2014 Revision: 12.08.2014

Trade name: Protack, ProtackHV, ProtackW, ProtackHVW, SLS, Lagit

111 42 2	(C 2 2,2'-iminodiethanol	ontd. of page 10)			
	nickel powder (particle diameter < 1 mm)				
7440-48-4	, , ,				
7440-38-2					
	known to cause reproductive toxicity for females: e ingredients are listed.				
	known to cause reproductive toxicity for males:				
	e ingredients is listed.				
1	known to cause developmental toxicity:				
1	e ingredients is listed.				
_	nic Categories				
1	ronmental Protection Agency)				
None of the	e ingredients is listed.				
	rnational Agency for Research on Cancer)				
	Talc (Mg3H2(SiO3)4)	2B			
	titanium dioxide	2B			
102-71-6	2,2',2"-nitrilotriethanol	3			
14808-60-7	'	1			
111-42-2	2 2,2'-iminodiethanol	3			
· TLV (Thres	shold Limit Value established by ACGIH)				
14807-96-6	Talc (Mg3H2(SiO3)4)	A4			
107-21-1	ethanediol	A4			
	titanium dioxide	A4			
14808-60-7	l '	A2			
111-42-2	2,2'-iminodiethanol	A3			
· NIOSH-Ca	(National Institute for Occupational Safety and Health)				
	titanium dioxide				
14808-60-7	quartz				
· Canada					
	Domestic Substances List (DSL)				
All ingredie	nts are listed.				
	Ingredient Disclosure list (limit 0.1%)				
None of the ingredients is listed.					
· Canadian I	Ingredient Disclosure list (limit 1%)				
107-21-1 e	107-21-1 ethanediol				
Othors					

• Other regulations, limitations and prohibitive regulations
This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

(Contd. on page 12)

Printing date 12.08.2014 Revision: 12.08.2014

Trade name: Protack, ProtackHV, ProtackW, ProtackHVW, SLS, Lagit

(Contd. of page 11)

· Substances of very high concern (SVHC) according to REACH, Article 57

68412-54-4 Nonylphenoxy poly (ethyleneoxy 9)ethanol, branched

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H361 Suspected of damaging fertility or the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H412 Harmful to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.
- R20 Harmful by inhalation.
- R22 Harmful if swallowed.
- R23 Toxic by inhalation.
- R36/38 Irritating to eyes and skin.
- R38 Irritating to skin.
- R41 Risk of serious damage to eyes.
- R43 May cause sensitisation by skin contact.
- R48/22 Harmful: danger of serious damage to health by prolonged exposure if swallowed.
- R48/23 Toxic: danger of serious damage to health by prolonged exposure through inhalation.
- R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R53 May cause long-term adverse effects in the aquatic environment.
- R62 Possible risk of impaired fertility.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

(Contd. on page 13)

Printing date 12.08.2014 Revision: 12.08.2014

Trade name: Protack, ProtackHV, ProtackW, ProtackHVW, SLS, Lagit

(Contd. of page 12)

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Repr. 2: Reproductive toxicity, Hazard Category 2

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

Aquatic Chronic 4: Hazardous to the aquatic environment - Chronic Hazard, Category 4

Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com