

SAFE USE INSTRUCTION SHEET

Creation Date 15-Apr-2015 Revision Date 30-Oct-2015 Version 1

0. GENERAL INFORMATION

This Safe Use Instruction Sheet is the document provided by Owens Corning to communicate safe handling and use instructions for manufactured articles neither regulated by OSHA Hazard Communication Standard, 29 CFR 1910.1200 nor by the Canada Hazardous Products Regulation SOR/2015-17 (WHMIS 2015).

1. IDENTIFICATION

Product Name Pipe Insulation with Facing

Faced pipe insulation, ASJ 25 Pipe Insulation, ASJ MAX Insulation, ASJ/SSL II® Pipe **Synonyms**

> Insulation, Heavy Density Pipe Insulation, No-Wrap Pipe Insulation, Pipeshield, SSL® Pipe Insulation, SSL-II® Pipe Insulation, VaporWick®, Vitro Fibras Pipe Insulation, Evolution™

Paper-Free ASJ, Aislamiento para Tuberia

Product Code OCIS00029

Recommended Use Pipe insulation

Owens Corning Insulating Systems, LLC **Manufacturer Address**

One Owens Corning Parkway

Toledo, Ohio 43659

Company Phone Number

24 Hour Emergency Phone Number Chemtrec 1-800-424-9300 **Emergency Telephone**

1-800-GET-PINK or 1-800-438-7465

1-419-248-5330 (after 5 pm ET and weekends)

safetydatasheet@owenscorning.com E-mail address

Company Website http://owenscorning.com/

2. HAZARDS IDENTIFICATION

OSHA Regulatory Status

This product is considered an article. 29 CFR 1910.1200(c) definition of an article is as follows: "Article" means a manufactured item other than a fluid or particle: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical (as determined under paragraph (d) of this section), and does not pose a physical hazard or health risk to employees.

WHMIS Regulatory Status

This product is considered an article per the Canadian Hazardous Products Regulation SOR/2015-17.

Manufactured articles which meet the definition of the Canadian Hazardous Products Act (any article that is formed to a specific shape or design during manufacture, the intended use of which when in that form is dependent in whole or in part on its shape or design, and that, when being installed, if the intended use of the article requires it to be installed, and under normal conditions of use, will not release or otherwise cause an individual to be exposed to a hazardous product) are not regulated by the Canadian Hazardous Products

Regulation SOR/2015-17.

Other Hazards May cause temporary skin and mucous membranes itching due to the mechanical abrasion

effect of fibers.

3. COMPOSITION/INFORMATION ON INGREDIENTS

While fiberglass products may cause temporary skin and mucous membranes itching due to the mechanical abrasion effects of fibers, it does not meet the new classification definition of "irritant" contained in the OSHA HCS 29 CFR 1910.1000, Appendix A. OSHA now specifically defines an irritant as "a reversible inflammatory effect on living tissue by chemical action..." Owens Corning fiberglass is an inert material and does not interact chemically with the skin or mucous membranes.

Components

Fiberglass, Wool 90-100 Binder - PUF 0-10

4. FIRST AID MEASURES

Description of First Aid Measures

Eye contact • Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes

DO NOT rub or scratch eyes.

• If eye irritation persists: Get medical advice/attention

Wash off immediately with soap and cold water
 DO NOT use warm water because this will open up the pores of the skin, which will cause

further penetration of the fibers

Use a wash cloth to help remove fibers

• DO NOT rub or scratch affected area

Remove contaminated clothing and shoes
 If align implication provides and a physician.

If skin irritation persists, call a physician

• If fibers are seen penetrating from the skin, the fibers can be removed by applying and removing adhesive tape so that the fibers adhere to the tape and are pulled out of the skin

• Never use compressed air to remove fibers from skin

Inhalation • Remove to fresh air

• If symptoms persist, call a physician

Ingestion • Accidental ingestion of this material is unlikely

• Rinse mouth with water and drink water to remove fibers from the throat

• If this does occur watch person for several days to make sure intestinal blockage does not

occur.

• If symptoms persist, call a physician

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Protective equipment and precautions for firefighters

• As in any fire, wear self-contained breathing apparatus (positive-pressure), MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

· Avoid contact with eyes and skin

Methods for cleaning up

• Use an industrial vacuum cleaner with a high efficiency filter to clean up dust and fiber contamination.

· Avoid dry sweeping.

Pick up and transfer to properly labeled containers

Use personal protective equipment as required

· Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry

- Take up mechanically, placing in appropriate containers for disposal
- · Avoid creating dust
- · Clean contaminated surface thoroughly

7. HANDLING AND STORAGE

Precautions for safe handling

- Prevent and/or minimize dust formation.
- Do not breathe dust
- Wear appropriate personal protective equipment in case of direct contact with the product.

Storage Conditions

- Keep product in packaging until use to minimize potential dust generation.
- Product should be kept dry and undercover.

Incompatible materials

· None known based on information supplied

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

•

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH REL	Ontario TWA
Fiberglass wool 65997-17-3	TWA: 1 fiber/cm3 respirable fibers: length >5 µm, aspect ratio >=3:1, as determined by the membrane filter method at 400-450X magnification [4-mm objective], using phase-contrast illumination TWA: 5 mg/m³ inhalable fraction	-	-	TWA: 1 fibre/cm3 TWA: 5 mg/m³
Formaldehyde 50-00-0	Ceiling: 0.3 ppm	TWA: 0.75 ppm (vacated) TWA: 3 ppm unless specified in 1910.1048 (vacated) STEL: 10 ppm 30 min unless specified in 1910.1048 (vacated) Ceiling: 5 ppm unless specified in 1910.1048 STEL: 2 ppm see 29 CFR 1910.1048	IDLH: 20 ppm Ceiling: 0.1 ppm 15 min TWA: 0.016 ppm	STEL: 1.0 ppm CEV: 1.5 ppm

NIOSH REL Immediately Dangerous to Life or Health

Engineering Controls

Provide local exhaust and/or general ventilation to maintain exposure below regulatory and

recommended limits.

Dust collection system must be used in transferring operations, cutting or other dust

generating processes, such as using power tools. Vacuum or wet clean-up methods should be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles)

Skin and body protection

Wear protective gloves

• Wear long-sleeved shirt and long pants.

Respiratory protection

• When workers are facing airborne particulates/dust concentrations above the exposure

limits, they must use an appropriate certified respirator.

• A properly fitted NIOSH approved disposable N 95 type dust respirator or better is

recommended.

General Hygiene Considerations • Wash hands before breaks and immediately after handling products.

• Remove and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state Solid Odor Faint resin Color Tan

Water solubility Insoluble in water

10. STABILITY AND REACTIVITY

Possibility of Hazardous Reactions • None under normal processing

Hazardous Decomposition Products • None known based on information supplied

11. TOXICOLOGICAL INFORMATION

Fiberglass wool may cause temporary skin and mucous membranes itching due to **Product Information**

mechanical abrasion effect of fibers.

IARC (International Agency for

Research on Cancer)

In October 2001, the International Agency for Research on Cancer (IARC) classified fiber glass wool as Group 3, "not classifiable as to its carcinogenicity to humans". The 2001 decision was based on human studies and animal research that have not shown an association between inhalation exposure to dust from fiber glass wool and the development

of respiratory disease.

NTP (National Toxicology Program) In June 2011, The National Toxicology Program (NTP) removed biosoluble glass wool fibers from its list of possible carcinogens used for home and building insulation.

12. ECOLOGICAL INFORMATION

This product is not expected to be hazardous for the environment.

13. DISPOSAL CONSIDERATIONS

Disposal should be in accordance with applicable regional, national and local laws and regulations

14. TRANSPORT INFORMATION

This material is not subject to regulation as a hazardous material for shipping

15 DECIII	ATORY INFO	
13) REGUI	AICKINCU	ZIVIA I IL JIV

This product is classified as an article. Articles are exempted from registration or listing International Inventories

under chemicals inventories like TSCA (USA), DSL/NDSL (CAN), REACH (EU), ENCS

(JP), IECSC (CN), KECL (KR), PICCS (PH), AICS (AUS).

WARNING! This product contains a chemical known in the State of California to cause **California Proposition 65**

cancer

16. OTHER INFORMATION

15-Apr-2015 **Creation Date Revision Date** 30-Oct-2015

Revision Note This product is classified as an Article according to OSHA 29 CFR 1910.1200 and to the

Canadian Hazardous Products Regulation SOR/2015-17 (WHMIS 2015). therefore is not

regulated. This Safe Use Instruction Sheet replaces the former Material Safety Data Sheet (MSDS) and is not regulated

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safe Use Instruction Sheet
